

## DESCRIPTION

This advanced potassium acetate salt-based liquid penetrates quickly to dissolve frost, snow and ice accumulations from a wide variety of surfaces. It can also be used as a pre-treat up to 12 hours prior to storms to prevent accumulation. Its melting action does not generate any heat; it is non-corrosive and will not cause damage to surfaces or leave a residue; and it is non-burning to surrounding grass areas.

This product meets the requirements of "AMS 1435B Fluid, Generic, Deicing/Anti-Icing for Runways and Taxiways", making it an ideal solution for airport ice management on runways and taxiways.



**NOT INTENDED OR APPROVED FOR USE ON AIRPLANES.**

## CAUTION

May irritate eyes and skin.

### FIRST AID:

**IF SWALLOWED:** Contact a physician or poison control center immediately. DO NOT induce vomiting.

**IF IN EYES:** Flush eyes with water for at least 15 minutes. If irritation is persistent, contact a physician.

**IF ON SKIN:** Wash skin with soap and water. Remove all contaminated clothing and launder separately before reuse. If irritation is persistent, contact a physician.

**IF INHALED:** Remove person to fresh air. If irritation is persistent, contact a physician.

See *M.S.D.S.* for complete safety information.

**KEEP OUT OF REACH OF CHILDREN**

**HANDLING AND STORAGE:** Keep container tightly closed when not in use. Rinse empty container before recycling container.

# TOTAL SOLUTIONS™

WINTER PRODUCTS

## ICE ERASE

### Advanced Liquid Ice Melt Formula

- APPROVED FOR USE ON AIRPORT RUNWAYS AND TAXIWAYS
- ALCOHOL-FREE FORMULA
  - IDEAL AS A PRE-TREAT
- NON-HARMFUL TO GRASSES
- NON CORROSIVE, LEAVES NO RESIDUE
- EFFECTIVE IN TEMPERATURES AS LOW AS -60°F

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

May irritate eyes and skin.

See side panel for further precautions and first aid instructions.

**NET CONTENTS:**

5  6  20  30  55 Gallons

Manufactured By: Total Solutions™  
PO Box 240014 • Milwaukee, WI 53224

## DIRECTIONS

To prevent ice accumulation, use approximately 1/2 gallons per 1,000 square feet.

To deice thin layers of ice, use approximately 1 gallon per 1,000 square feet. More product may be required to melt thicker layers.

**NOT INTENDED OR APPROVED FOR USE ON AIRPLANES.**

Water produced by melted ice and snow can enter the pores, chips, and cracks in concrete. The alternating freezing and thawing of this water can then cause damage to the concrete. To minimize this risk, remove slush and snow from concrete.

**This Product Contains/CAS Number:** Potassium Acetate/127-08-2; Water/7732-18-5; Tripotassium phosphate/7778-53-2; Citric acid/77-92-9; Tetrahydrolytriazole/1307867-84-0.

**NFPA® RATINGS**  
FLAMMABILITY

HEALTH  REACTIVITY

0277•012012